



QINGDAO ZAPHUE

Add: Zhengyang Road, Chengyang District, Qingdao, China
Tel: +86-532-66851684
Web: www.zaphue.com
E-mail : molly@pithyfarm.com



QINGDAO ZAPHUE INTERNATIONAL TRADING CO. LTD.

QINGDAO ZAPHUE INTERNATIONAL TRADING CO.LTD.

Qingdao China

Qingdao Zaphue International Trading Co. Ltd. >>

Qingdao Zaphue was established by two manufacturing factories. It is professional on poultry /pig equipment researching, designing, installation and after-sales service. Our main products include: pig farm equipment, poultry farm equipment, pig artificial insemination equipment, veterinary instrument, environmental control equipment. Besides providing all kinds of livestock equipment, we can also help customers to design farm shed and make equipment accordingly.

With many years experience, we have been done many turn-key projects and specialized on pig automatic feeding, pig crate with top reputation.

After years growing, our company devote to not only on manufacturing but also on resources integration to service market. And now we establish branch companies in more than 20 city. So, with numerous sourcing companies help, we are certainly sure that we can supply great service to customer.





Pig Farming Equipment

Artificial Insemination

Identity Management

Veterinary Control

Breeding Apparatus

Environmental Control

Cleaning & Disinfection

Labor Protection Products

Detecting Instrument

00

01

02

03


04

05

06

07

08



- 1.CNC welder machine
- 2.shearing machine
- 3.double heads automatic pipe bending machine
- 4.full automatic laser cutting machine





- | | |
|---|--------------------------|
| ① | 1. Injection Molding |
| ② | 2. drilling equipment |
| ③ | 3. CNC injection molding |

ADVANCED



THREE-DIMENSIONAL THREE-DIMENSIONAL STORAGE



Pig farm automatic feeding system

Name: automatic feeding system

Configuration: driving device, silo, conveying pipe, 90degree corner and sensor, auto dispenser device, feed dropping device with switch, feed drop pipe, metering cylinder, disc-chain, control part.

Products Features:

1. Design feeding line according to pig farm's requested.
2. 90degree corner could make sure feeding conveying smoothly.
3. Include adjusting device in drive control box, adjust conveying tensity automatically.
4. The driving wheel connecting with motor directly in order to reduce friction when use belt.
5. Start feeding with fixed time and quantity, it is feed saving and avoid swine's stress reaction.
6. Make feed individual and reduce disease spreading.
7. No feed lacking if workers neglect feeding.
8. It is labor saving and increase efficiency.

Product Parameter

Main driving device: stainless steel shell, corrosion resistance, install in-door and out-door are both available.

High quality of drive motor with auto tensity adjusting device, imported and made in China are both available.

Gear motor: cycloid pin gear, worm gear and wheel gear are both available.

Chain wheel material is fiberglass nylon, can reduce friction and noise.

Imported capacitance component with high quality.



Product Parameter

Feed pipe: material of conveying pipe is galvanized, outer diameter is 60mm, thickness is 1.5mm.

Chain: the chain is solid carburizing coating with high strenghen, abrasion resistance, high bending strength, enhanced service life.

Disc part: material is imported fiberglass nylon with single die casting, high frication resistance. The disc diameter is 45mm with big conveying capacity.




Control box

Feed sensor

Main part:

1. Main driving device
2. Feed silo
3. Feed conveying pipe
4. 90° corner
5. Feed sensor
6. Auto dispenser device
7. Feed dropping device with switch
8. Metering cylinder
9. Driving motor
10. Control device





90°corner

Corner shell: material is imported polycarbonate with single die casting, has high shock resistance, electric insulation, good performance on temperature resistance.
 Inner part: material is fiberglass nylon from Japan with single die casting. Greatly reduce fricative broken. Double sealing bearing, and reduce noise 40% compare to others.
 Hardware: material is stainless steel with great corrosion resistance.

Corner shell

Corner shell: material is 304 stainless steel with single die casting, great impact and wear resistance, strong resistance of high and low temperature.
 Inner corner: material is nodular cast iron with single die casting, one roll testing, double sealing bearing, can reduce 60% of noise compare to others.
 Hardware: material is stainless steel with great corrosion resistance.



Corner shell

Corner shell: material is 304 stainless steel with single die casting, great impact and wear resistance, strong resistance of high and low temperature.
 Inner corner: material is nodular cast iron with single die casting, one roll testing, double sealing bearing, can reduce 60% of noise compare to others.
 Hardware: material is stainless steel with great corrosion resistance.

Metering cylinder

Feature: material is polycarbonate imported from USA with extrusion blow molding, greatly shocking resistance, great stability of shape, colorless and transparent, anti-corrosion, high resistance of high and low temperature, precise scale.
 Patent No.: ZL2012 2 0416535.3



Automatic auger feeding system

Use auger as conveying for pig farm, with high quality spiral.
 Feed can convey to farm through bending tube, more safe, efficiency and without powdering.
 Apply for all kinds of farm house.
 High conveying capacity.
 Installation is convenient.
 Driving part can be belt motor or wheel gear motor.



American type farrowing crate

Product parameters

Name: American farrowing crate
 Material: GB welded pipe
 Size: 2400x 3600x 1100mm/Customized size
 Feature:

1. Hot-dip galvanized with excellent performance on anti-corrosion
2. PVC fender can offer a relatively closed environment, avoiding any wind influence on the piglet, and the 50cm height of PVC board could keep ventilation.
3. The crate is made by the advanced technology, it could be opened, adjustable, pressure-resistant, and with hot-dip galvanized for both inside and outside.
4. Cast iron slat for sow, no harm to sows nipple, and plastic slat for un-weaning piglet to keep warm condition, and dung drop to pit with less contamination.

Sows crate width multi-position adjustable

High quality welding and polishing



Anchor with cover plate design



Double open type gestation crate

Product parameters

Name: Double open type gestation crate
 Material: GB welded pipe/powder coating
 Size: 2100x 600x 1000mm/2200x600x1100mm
 Feature:

1. Avoiding abortion during pregnancy of gestation sows.
2. The rear door is double open type, it is more convenient for artificial insemination and abortion operation.
3. The sow crates size can be customized.

Adjustable anchor

Double open type

Hot-dip galvanized



INFRARED HEATING BULB

INFRARED HEATING BULB

易·实·猪·省
保温灯泡

- Bold tungsten alloy bulb filament, longest service life can reach 5000hours. Different power of bulb with different filament to make heat more efficiency.
- Pitted surface with parabolic reflection can increase the heating radiation. Heat transfer can reach 300,000KM/S, high thermal inversion.
- With thickened explosion-proof glass material, high strength, can stand up to sudden cooling, water.
- Standard screw with great workmanship to make sure less defective goods.

Professional air heaters manufacturer

Nice appearance, new styles, let your pig farm more warm.

Different fuel and heater can be chosen, such as diesel, electric, methane, natural gas and liquefied gas.

ZOO LAND
猪乐道

Quick & free drinking

No water splash
Water saving

Material is cold heading steel with great surface-finished to protect pigs' snout.

Excellent quality with anti-corrosion and long service life.

Oval-triangle design with marble inside to make sure no water splash.

The marble is, touched when drinking, big water flow without splash. It can protect farm clean and dry.

Mark: this nipple drinker is 1/8inch.

STAINLESS STEEL NEEDLES

Material is 304stainless steel with strictly material control, corrosion resistance, great toughness.

Polish repeatedly to make sure no agnail during using. 12pcs/bag with one un-choking needle.

NO BROKEN

Export quality, annual sales 665,796 pcs

Artificial Insemination



There are 205 items
such as the instrument for semen examination,
attenuation, transportation, mating and so on.

Artificial Insemination



Artificial insemination catheter with foam tip

Product parameters
Name: Artificial insemination catheter with foam tip
Material: Non-toxic and high-elastic foaming material with medical level plastic particle
Color: Green
Size: 50cm
Weight: 8g/pc
Package: 1000pc/bag
Specification: Gilt / Multiparous sow




Artificial insemination catheter with foam tip + closing cap

Product parameters
Name: Artificial insemination catheter with foam tip + closing cap
Material: Non-toxic and high-elastic foaming material with medical level plastic particle
Color: Yellow
Size: 52.5cm
Weight: 11g/pc
Package: 1000pc/box
Specification: Gilt / Multiparous sow



Artificial insemination catheter with spiral tip

Product parameters
Name: Artificial insemination catheter with spiral tip
Material: Non-toxic and high-elastic material with medical level plastic particle
Color: Blue
Size: 53cm
Weight: 13g/pc
Package: 500pc/box



Intrauterine artificial insemination catheter

Product parameters
Name: Intrauterine artificial insemination catheter
Material: Non-toxic and high-elastic foaming material with medical level plastic particle
Color: Green
Size: 75cm
Weight: 13g
Package: 1000pcs/box 800pcs/box
Specification: Gilt / Multiparous sow

Qingdao Zaphue International Trading Co. Ltd. 0532-66851684

20

Artificial Insemination



Super artificial insemination catheter with foam tip

Product parameters
Name: Super artificial insemination catheter with foam tip
Material: Non-toxic and high-elastic foaming material with medical level plastic
Color: Blue
Size: 50.5cm
Weight: 7g/pc
Package: 1000pcs/box
Specification: Gilt / Multiparous sow



Intrauterine artificial insemination catheter with soft tip

Product parameters
Name: Intrauterine artificial insemination catheter with soft tip
Material: Non-toxic and high-elastic foaming material with medical level plastic
Color: Blue
Size: 76.5cm
Weight: 14g/pc
Package: 500pcs/box
Specification: Gilt / Multiparous sow



Artificial insemination connection catheter

Product parameters
Name: Artificial insemination connection catheter
Material: ABS and PVC
Size: 46.5cm
Weight: 11g/pc
Package: 5pcs/bag
Color: Yellow / Red

21

Qingdao Zaphue International Trading Co. Ltd. 0532-66851684

Artificial Insemination



Disposable semen bottle for pig artificial insemination

Product parameters
Name: Disposable semen bottle
Material: Medical level polyethylene
Color: Optional
Package: 500pcs/box
Specification: 40ml/60ml/80ml/100ml



Super disposable semen bottle for pig artificial insemination

Product parameters
Name: Super disposable semen bottle
Specification: 40ml/60ml/80ml/100ml
Material: Medical level polyethylene
Color: Optional
Package: 1000pcs/box (40ml/60ml) 500pcs/box (80ml/100ml)



Pig auxiliary back clamp apply on Pig AI

Product parameters
Name: Pig auxiliary back clamp
Material: Engineering PP
Clamp size: 16.5*18.5cm
Supporter size: 54.5cm
Weight: 500g
Package: 500pcs/box



Pig auxiliary back clamp apply on Pig AI (Plastic Type)

Product parameters
Name: Pig auxiliary back clamp
Color: Green
Material: PE
Clamp size: 36*29cm
Supporter: 46.5cm
Weight: 330g/pc

Qingdao Zaphue International Trading Co. Ltd. 0532-66851684

22

Artificial Insemination



Disposable pig A.I. semen collection bag
 Product parameters
 Name : Disposable semen collection bag
 Capacity : 100ml
 Size: 20.3cm(length) * 9.9cm(width)
 Thickness: 0.20mm
 Material: Medical Plastic
 Package: 50pcs/bag



Colorful disposable pig AI semen collection bag
 Products parameters
 Name Colorful disposable semen collection bag
 Capacity : 100ml
 Size : 20.3cm(length)* 9.8cm(width)
 Thickness: 0.22mm
 Material : Medical plastic
 Package : 50pcs/bag



Semen filter paper for pig semen collection
 Product parameters
 Name : Semen filter paper
 Material : Medical level non-absorbent and non-woven
 Micropore size: 100 micron
 Specification: 20*20cm
 Package : 100pcs/bag



Artificial insemination pig semen collection cup
 Product parameters
 Name: 650ml pig semen collection cup
 Material: Plastic shell and stainless steel interior
 Capacity: 650ml
 Color: Yellow/ red/ blue/green
 Lid size: 9.8*17cm (inner diameter is 9cm)
 Weight: 283g/pc
 Package: 24pcs/ bag
 Package Size: 44*34*36cm
 Weight: 8kg

Artificial Insemination



Disposable PE gloves
 Product parameters
 Name: Disposable PE gloves
 Material: PE
 Color: Transparent
 Specification : free size
 Size: 28*14.5cm
 Package: 100pcs/box



Disposable PVC gloves for semen collection
 Product parameters
 Name : Disposable PVC gloves for semen collection
 Material : Class A PVC material
 Color : Transparent
 Specification: super large size/ large size/medium size
 Package: 100pcs/bag , 10bags/box
 Purpose: Semen collection and Surgery operation



Disposable semen collection bag
 Product parameters
 Name: Disposable semen collection bag
 Package : 100pcs/bag , 10bags/box
 Purpose : Use together with semen collection cup and semen filter paper
 Capacity : 1L/2L



Anti-slip mat for boar's semen collection
 Product parameters
 Name: Semen collection mat
 Specification : Thick / Thin
 Size : 150*100*2.2cm / 152*91*1.2cm
 Material : Natural Rubber + Synthetic Rubber
 Net Weight: 15kgs / 8.5kgs
 Usage: Use together with dummy sow when collection boar's semen

Artificial Insemination



Canvas dummy sow
 Product parameters
 Name: Canvas dummy sow
 Material: foam interlayer + canvas surface + stainless steel supporter
 Color: Green
 Size: 80*85*50cm
 Weight: 29kg
 Feature: Special wheel design, can adjust the device height according to boar's height



Rubber dummy sow
 Product parameters
 Name: Rubber dummy sow
 Material : Thickened steel board (4mm)+ Rubber
 Color: Black
 Size: 95*32.5*64cm (Length*width*height)
 Weight: 50kg



Semen transfer window of AI laboratory
 Product parameter
 Name : Pig semen transfer window of AI laboratory
 Light tube : 8W ultraviolet sterilization tube
 Material: 201 stainless steel
 Outer Size : 400*400*400mm (width*depth*height)
 Inner Size : 280*340*320mm (width*depth*height)
 Power : 220V / 50HZ
 Weight : 25-35kg
 Other service : Customized service



Electronic scale
 Product parameters
 Name: Electronic scale for semen weighing
 Weighing range: 0-3000g
 Min weight: 0.1g
 Product Size: 21.5(L)*16(W)*5.5(H)cm

Artificial Insemination



Monocular microscope for semen analysis
 Product parameters
 Name: Monocular microscope
 Amplification :100x-1600x
 Objective :10X, 40X, 100X
 Tube specification : Monocular 45 degree incline , 360 degree rotating
 Carrier : 120*110mm machanical platform



Binocular microscope for semen analysis
 Product parameters
 Name: Binocular microscope
 Objective :4X, 10X, 40X, 100X
 Eyepieces: 10X, 16X
 Amplification : 100X-1600X
 Tube specification : Binocular , 360 degree rotating
 Distance : 55-75mm
 Carrier : 160*140mm machanical platform



Digital microscope with LCD screen
 Product parameters
 Name: Digital microscope with LCD screen
 Objective: 4X, 10X, 40X
 Amplification : 40X-1600X
 Image : 2 million pixels CMOS
 LCD Size : 3.5" LCD display



Digital microscope with video LCD screen
 Product parameters
 Name: Digital microscope with video LCD screen
 Objective: 4X, 10X, 20X
 Eyepiece : 10X
 Amplification : Max 800X / 200X (Multiple physical)
 Image : 3.8 million pixels
 LCD size: 7 inch LCD display.
 Gross Weight: 5.6kg
 Package : 31*21*49cm



Digital microscope heating plate
 Product parameters
 Name : Digital microscope heating plate
 Working plate size: 9.5*6*0.6cm (length*width*thickness)
 Box size: 14.5*11*6.5cm (length*width*height)
 Temperature difference: ≤0.5℃
 Weight :1250g



Digital magnetic stirrer with hot plate
 Product parameters
 Name: Digital magnetic stirrer
 Speed: 0-2400r/m
 Temperature range: room temperature to 100±1℃
 Power:300W
 Capacity:1000ml
 Weight: 2.23kg
 Package:29*18*13cm



Electro-heating standing-temperature cultivator
 Product parameters
 Name: Electro-heating standing-temperature cultivator
 Temperature: RT-5-65℃
 Power: 350W/250W/200W/180W
 Size: 500*400*400mm/415*360*355mm/340*320*320mm/
 250*260*250mm
 Specification: 80L/50L/35L/16L



Dry heat sterilization tank
 Product parameters
 Name: Dry heat sterilization tank
 Temperature: RT-10-200℃
 Power: 1550W/850W/1100W/600W
 Size: 400*450*450mm/340*325*320mm/420*395*350mm/
 250*260*250mm
 Specification: 81L/35L/58L/16L



Semen dilution agitator tank
 Product parameters
 Name: Semen dilution agitator tank
 Specification:15L
 Temperature control mode: Micro-computer,in 35-100℃
 Temperature range: Room temp -100℃
 Heating means:by heating ring
 Power:2500W/H



Digital thermostatic water bath
 Product parameters
 Name: Digital thermostatic water bath
 Operating size : 130*15*13.5cm / 30*30*13.5cm
 Power: 500w/ 1000w/ 2000w
 Temp accuracy: ±5℃
 Temp range: Room temp - 100℃
 Specification: 2 holes in a line / 4 holes in two lines /
 8holes in two lines



Digital thermostatic water bath
 Product parameters
 Specification: 2 holes in a line
 Power: 800W
 Temp accuracy: ±0.5℃
 Temp Range: Room temp to 99.9℃
 Package :46*24*25cm (length*width*height)



Electric stainless steel water distiller (single tank)
 Product parameters
 Name: Electric stainless steel water distiller (single tank)
 Material: 201 stainless steel /304 stainless steel
 Water: 5L/h 10L/h
 Power: 220V/380W
 Specification:5L/10L



Electric stainless steel water distiller (double tanks)
 Product parameters
 Name: Electric stainless steel water distiller (double tanks)
 Material: 201 stainless steel /304 stainless steel
 Water: 10L/h
 Power: 380W/13.5W
 Specification:5L/10L



Reverse Osmosis Ultra Pure Water purification machine

Product parameters
 Name: Reverse Osmosis Ultra Pure Water purification machine
 Quality: accord with and superior the standard of lab(GB6682-92) drinking water first grade
 Pressure: 0.2mpa-0.35mpa
 Power: 220V/30-80W
 Size: 54*35*96cm
 Specification: Customized specifications

50L thermostatic 17degree refrigerator



Product parameters
 Name: 50L thermostatic 17degree refrigerator
 Specification: 50L
 Color: Ivory white
 Category: Single door, External temperature controller
 Weight: 15.5kg
 Usage: Store semen in constant temperature
 Cooling type: Compression
 Power: 0.35 KWH/ 24H
 Voltage frequency: 220V/50HZ



Manual pig semen bag filling machine

Product parameters
 Name : Manual pig semen bag filling machine
 Shift adjustment: 8 grades
 Time for heating: 0.2-1.5 seconds
 Package :410*76*225mm
 The widest sealing length :8mm
 Parts: Supporter 1set, semen cup 1piece, rubber hose 1piece, flow controller 1 piece, rubber hose connector 1piece, rubber hose for connecting semen bag 1 piece.



Full automatic pig semen filling machine

Product parameters
 Name: Full automatic pig semen filling machine
 Speed: 600-1000 bags/hour
 Voltage: 220V 50Hz
 Function: automatic filling, automatic sealing, automatic cutting, automatic printing



Digital thermometer

Product parameter
 Temperature: -50°C-300°C
 Accuracy: ±1°C
 Size: 23cm (length)
 Weight: 0.09kg



Plastic beaker

Product parameters
 Name: Plastic beaker
 Color: Transparent
 Material: PP
 Capacity: 2L/3L/5L




Boar semen density detector

Product parameters
 Name: Boar semen density detector
 Detection range: 0-3A
 Accuracy: 1%
 Size: 165*75*55mm
 Net Weight: 240g



Sperm detector

Product parameter
 Name : Sperm detector
 Detection : Sperm density and sperm vigor
 Concentration : 20-500 million/ml
 Vigor: 0-100%
 Accuracy : ± 5 %
 Configuration: Ipad mini
 Size: 25.3*25*6.5cm
 Weight: 800g





There are 111 items
such as instrument for ear tag, painting, tattoo and so on



Ear tag plier
Product parameters
Material: Aluminum+ engineering plastic
Size:24*7.5*2cm(length*width*thickness)
Net weight:317g
Purpose: Applied for animal's ear tag



ear tag forcep needle
Product parameters
Name: ear tag forcep needle
Material: Alloy
Color: black
Size: 3.4cm
Weight:4g/pc



Sakura ear tag pen
Product parameters
Name: Sakura ear tag pe
Specifications:small double header
Size: length 13.8cm
Weight: 9g
Color: black
Package: 12pcs/box
Origin: Japan



Veterinary large size marking crayon
Product parameters
Name: Veterinary large size marking crayon
Weight:76g/pc
Package: 12pcs/box
Purpose: make a temporary mark on livestock's body
Color :red/green/blue



Veterinary small size marking crayon
Product parameters
Name: Veterinary small size marking crayon
Color: red/green/blue
Weight:58g/pc
Package: 24pcs/bag 18bags/box
Purpose: make a temporary mark on livestock's body



Pig ID
Product parameters
Name: Pig ID
Material: Germany BASF TPU (linear polymeric materials)
Parts: Main label (female label) + vice label (male label)
Package: 100sets/box
Color: blue/orange/yellow/red



Ear tag
Product parameters
Name: Ear tag
Material: TPU
Parts: male mark+female mark
Weight:6.6g/pc
Package:100pcs/bag
Color:blue/orange/yellow



Piglet used ear tag
Product parameters
Name: Piglet used ear tag
Parts: male mark+female mark
Weight:3.1g
Color:yellow
Package:100pcs/bag



Animal ear tag marker pen
Product parameters
Name: Animal ear tag marker pen
Color:black
Size:14*1.5cm
Weight:20g
Package:10pcs/box



Pig ear hole plier
Product parameters
Name: Pig ear hole plier
Material: Aluminum Alloy
Size:16.5*9.5cm(length*width)
Bore diameter:0.9cm
Weight:256g
Purpose: Make hole on pig's ear for identification



U/V shape ear hole plier
Product parameters
Name: U/V shape ear hole plier
Material:Stainless steel
Weight:215g
Purpose: Make U/V hole on pig's ear for identification
Specification: U / V shape



Pig ear hole plier
Product parameter
Name: Ear hole plier
Material:Aluminum alloy
Size: 19.5cm (length)
Bore diameter:0.8cm
Weight:280g/pc
Color:silver
Parts: one set of ear hole needle as spare parts
Package:10pcs/bag
Package size:68*28*40cm



U/V ear hole plier
 Product parameters
 Specification: U/V shape
 Material: Stainless steel
 Weight: 210g
 Purpose: Make U/V hole on pig's ear for identification



Breeding sow record card
 Product parameters
 Name: Breeding sow record card
 Material: high end PVC
 Size: 240*180*0.6mm/240*180*0.9mm
 Package: 50pcs/bundle, 25pcs/bundle
 Purpose: Breeding sow record
 Specification: thin/thick



Sow farrowing management card
 Product parameters
 Name: Sow farrowing management card
 Material: superior quality PVC
 Size: length 21.5cm * width 21.5cm * thickness 0.7mm
 Weight: 58g/pc
 Package: 25pcs/bundle, 20bundles/box



Veterinary marking tapes
 Product parameters
 Name: Veterinary marking tapes
 Material: TPU
 Style: first generation (single button), second generation (double buttons)
 Size: 360*30*3mm/370*30*3mm (length*width*thickness)
 Color: red/orange/yellow/green/blue
 Weight: 40g/pc, 50g/pc
 Package: 1000pcs/box



Animal tattoo marking forcep
 Product parameters
 Name: Animal tattoo marking forcep
 Material: Aluminum alloy
 Weight: 305g
 Parts: One set Number from 0-9, one bottle of black ink
 Specification: four figures/five figures



Pig Veterinary tattooing numbers
 Product parameters
 Name: Pig Veterinary tattooing numbers
 Material: 304 stainless steel + plastic
 Size: 1*1.9cm
 Weight: 25g/set



Pig Veterinary tattooing alphabets
 Product parameters
 Name: Pig Veterinary tattooing alphabets
 Specification: A-Z
 Material: 304 stainless steel + plastic
 Size: 1*1.9cm
 Weight: 55g/set

Veterinary Control



There are 251 items
 such as syringe, needle, scalpel, scissor and so on

10ml metal syringe



Product parameters
 Name: metal syringe
 Material: Brass with chrome plated, glass
 Specification: 10ml
 Weight: 168g

20ml metal syringe



Product parameters
 Name: metal syringe
 Material: Brass with chrome plated, glass
 Specification: 20ml
 Weight: 211g

30ml metal syringe



Product parameters
 Name: metal syringe
 Material: Brass with chrome plated, glass
 Specification: 30ml
 Weight: 246g

50ml metal syringe



Product parameters
 Name: metal syringe
 Material: Brass with chrome plated, glass
 Specification: 50ml
 Weight: 336g

10ml TPX syringe



Product parameters
 Name: TPX syringe
 Material: TPX, stainless steel, brass coated chrome
 Specification: 10ml
 Parts: gasket
 Weight: 65g

20ml TPX syringe



Product parameters
 Name: TPX syringe
 Material: TPX, stainless steel, brass coated chrome
 Specification: 20ml
 Parts: gasket
 Weight: 78g

30ml TPX syringe




Product parameters
 Name: Domestic TPX syringe 30ml
 Material: TPX body, TPX handle, stainless steel inside bar, brass coated chrome base
 Weight: 65g
 Parts: cushion
 Specification: 10ml

50ml TPX syringe



Product parameters
 Name: Domestic TPX syringe 30ml
 Material: TPX body, TPX handle, stainless steel inside bar, brass coated chrome base
 Weight: 78g
 Parts: cushion
 Specification: 20ml



Automatic continuous metal syringe

Product parameters
 Name: Automatic continuous metal syringe
 Scale: 1-5ml
 Weight: 870g
 Size: 24.5*19*4cm
 Part: Gaskets 2pcs, glass tube 1pc, syringe needle 12pcs/bag



Automatic plastic-steel gun syringe

Product parameters
 Name: Automatic plastic-steel gun syringe
 Material: TPX, aluminum, brass with chrome coated
 Specification: 50ml
 Scale: 1-5ml
 Parts: Gasket, metal needle bed



Automatic continuous metal syringe with bottle

Product parameters
 Name: Automatic continuous metal syringe with bottle
 Material: Brass with chrome plated
 Specification: 2ml
 Range: 0.1-2ml
 Parts: Bottle, sealing ring, rubber hose, bottle needle



Automatic plastic-steel syringe with bottle

Product parameters
 Name: Automatic plastic-steel syringe with bottle
 Range: 0.1-2ml/0.5-5ml
 Parts: gasket, lubricating oil
 Purpose: For animal vaccine injection
 Specification: 2ml/5ml



Continuous syringe (continuous drencher)

Product parameters
 Name: continuous syringe (continuous drencher)
 Specification: 10ml/20ml/50ml



Pistol continuous syringe (PC)

Product parameters
 Name: pistol continuous syringe (pc)
 Specification: 30ml/50ml



Continuous syringe (PP)

Product parameters
 Name: continuous syringe (pp)
 Specification: 30ml/50ml



(A) Liquid Tank

1. Perfusion Liquid Reserves: 1600ml
2. Disinfectant Reserves: 500ml
3. Dilutions Reserves: 500ml

(B) Continuous Drencher

1. Specification: 5ml
2. Dose Accuracy: Full Capacity errors $\pm 3\%$
3. Dose: 0.2-5ml continuously adjustable



5ml Long Handle Continuous Syringe (A-Type)

Size: 1.9 Meter
 Drug Supply Way: Automatic and Continuous
 (plastic bottle or suction hose)
 Sterilize: Automatic and Continuous
 Dose adjustment: 0.2ml-5ml



Continuous syringe Y-Type

Product parameters
 Name: continuous syringe Y-Type
 Specification: 5ml/10ml/30ml



5ml Long Handle Continuous Syringe (B-Type)

Size: 1.9 Meter
 Drug Supply Way: Automatic and Continuous
 (plastic bottle or suction hose)
 Sterilize: Automatic and Continuous
 Dose adjustment: 0.2ml-5ml
 With Automatic Identification Function



Veterinary syringe needle

Product parameters
 Name: Veterinary syringe needle
 Material: 304stainless steel
 Package: 12pcs/bag 12bags/box
 Specification: 0.9*10mm
 0.9*13mm
 1.2*15mm
 1.2*20mm
 1.2*25mm
 1.2*38mm
 1.2*40mm
 1.4*20mm
 1.4*25mm
 1.4*38mm
 1.6*25mm
 1.6*30mm
 1.6*38mm
 1.6*40mm
 1.6*50mm
 2.0*50mm



Period (mm)	Diameter	Needle Length
Un-weaning	0.9-1.2	10-25
Nursery	1.2-1.4	25
Fatten	1.4-1.6	25-40
Sow and boar	1.6	30-40



Surgical knife handle

Product parameters
 Name: Surgical knife handle
 Material: Carbon steel
 Specification: 128mm(length) * 2mm(thickness)
 Size: 4#



Surgical knife blade

Product parameters
 Name: Surgical knife blade
 Material: Carbon steel
 Size: 23#
 Package: 100pcs/bag



Castrating knife

Product parameters
 Name: Castrating knife
 Material: 304 stainless steel + plastic
 Size: 7.5cm(length) * 1.85cm(cover width) * 3.5cm(cover length)
 Package: 3pcs/bag, 15bags/box



Veterinary suture needle

Product parameters
 Name: Veterinary suture needle
 Specification: 11*40/12*48/12*65
 Material: 304 stainless steel
 Package: 3pcs
 Size: 1.1*35mm/L1*46mm/L1*58mm (width*length)



Glass thermometer

Product parameters
 Name: Glass thermometer
 Measurement: 35°C-43°C
 Error range: +0.1°C-0.153°C
 Weight: 7.3g/pc (with package)
 Package: 10pcs/small box, 10 small boxes/large box, 10 large boxes/carton



12L Vaccine carrying case

Product parameters
 Name: 12L Vaccine carrying case
 Specification: 12L
 Color: Blue
 Overall size: 37*22*26cm
 Inner size: 33*17.5*21cm
 Weight: 2.23kgs
 Parts: 4 pcs of ice boxes, 1 pc braces, 1 pc clapboard



Vaccine carrying case

Product parameters
 Name: Vaccine carrying case
 Specification: 6L
 Overall size: 32*23.5*26cm
 Inner size: 23.5*14*19.5cm
 Weight: 2.16kgs



Veterinary uterus cleaning instrument

Product parameters
 Name: Veterinary uterus cleaning instrument
 Patent No. 200920203883.3
 Tension: 90N(8kgs)
 Package: diameter 15cm * height 22cm
 Weight: 350g
 Purpose: cleaning inside and outside vagina, cleaning for obstetric disease prevention used on dam pig, cattle, sheep, horse and so on



Veterinary balling gun

Product parameters
 Name: Veterinary balling gun
 Size: 52cm
 Color: Yellow
 Material: medical appliance grade plastic particle
 Package: 100pcs/bag
 Usage: deliver anti-inflammatory drug into pigs uterus



Veterinary stylolite

Product parameters
 Name: Veterinary stylolite
 Material: Silk thread
 Package: 10rolles/box
 Specification: 10#black/12#white/18#white



Veterinary surgical scissors

Product parameters
 Name: Veterinary surgical scissors
 Material: medical grade stainless steel
 Weight: 50g



Disposable blood specimen collection needle

Product parameters
 Name: Disposable blood specimen collection needle
 Components: Latex sheath, cork, needle-threaders, needle file, needle tubing, needle handle, arteriovenous puncture needle, cover
 Type: black monowing
 Package: 100pcs/box
 Purpose: venous blood collection



Disposable blood specimen collection tubing

Product parameters
 Name: Disposable blood specimen collection tubing
 Category: Biochemical tubing
 Color: Red
 Scale: 5ml
 Package: 100pcs/box
 Purpose: venous blood collection



Disposable blood specimen collection needle (straight)

Product parameters
 Name: Disposable blood specimen collection needle (straight)
 Size: 8cm in total
 Color: Green
 Weight: 2g/pc
 Package: 100pcs/box
 Parts: 2pcs needle holder/box



Infusion apparatus

Product parameters
 Name: Infusion apparatus
 Specification: 0.7mm needle *1.4m infusion hose
 Material: PVC
 Package: 25 sets/bag



Infusion support

Product parameters
 Name: Infusion support
 Specification: 2 hooks, large size triangle pedestal
 Size: 1.1-2m (adjustable height)
 Material: stainless steel



Portable autoclave

Product parameters
 Name: Portable autoclave
 Material: 304 stainless steel
 Specification: 8L
 Size: 24* 12cm
 Weight: 7kgs



Protective jump suit

Product parameters
 Name: Protective jump suit
 Size: 160/165/170/175/180/185/190/195
 Material: Proprietary fabric (imported from South Korea)
 Application: chemical engineering, livestock breeding, spray paint, pesticide spraying, machinery maintenance and so on
 Color: white
 Weight: about 130g
 Specification: L/XL



Thicken stainless steel needle plate

Product parameters
 Name: Thicken stainless steel needle plate
 Material: 201 stainless steel
 Specification: LS
 Size: 36* 27*0.35cm/ 32* 22*0.35cm
 Weight: 380/140g



Veterinary Medical Kit (stationary type)

Product parameters
 Name: Veterinary Medical Kit (stationary type)
 Size: 35*13*42cm
 Material: alloy aluminium +MDF
 Color: silver gray




Veterinary Medical Kit (back-shoulder-carrying)

Product parameters
 Name: Veterinary Medical Kit (back-shoulder-carrying)
 Size: 34.5*22*25.5cm
 Material: alloy aluminium +MDF + non-woven fabrics
 Color: silver gray



Cases fitted with dissecting instruments

Product parameters
 Name: Cases fitted with dissecting instruments
 Weight: 3.5kgs
 Size: 42*31*10cm
 Configuration: 1pc dissecting broad axe, 1pc bone hammer, 1pc bone saw, 1pc cartilage scissor, 1pc soft tissue cutter knife, 1pc flaying knife, 1pc encephalotome, 1pc organization retractor, 1pc surgical scissors, 1pc long scissor, 1pc scalpel (sharp), 1pc scalpel(round), 1pc forceps, 1pc sharpene, 1pc tapeline, 1pc magnifier, 1pc alloy aluminium instruments case



Breeding Apparatus



There are 324 items
such as instrument for cutting piglets teeth,
amputation of tail, drinker, trough, porridge feeder and so on

Breeding Apparatus



Aluminum alloy feed scoop

Product parameters
Name: Aluminum alloy feed scoop
Color: Silver
Size: 24*19*10cm with 10.7cm handle
22*15*8cm with 10.1cm handle



Aluminum alloy feed scoop

Product parameters
Name: Aluminum alloy feed scoop
Specification: Large
Size: 26*14*9cm with 12.5cm handle and thickness 2cm
Material: aluminum alloy
Weight: 0.5kg/pc
Max feed capacity: 2kgs



Pig water drinker with fun

1.Height can be adjusted according to piglets' growth.
2.Easily installation.
3.Can get fresh water at any time.
4.Hanging with less water waste during drinking.
5.Model of drinker can be customized and hanging chain length is 2m.



4-56

Breeding Apparatus

Breeding Apparatus



Pig nipple drinker (triangle type)

Product parameters
Name: Pig nipple drinker
Material: Cold heading steel
Color: Silver
Size: 8.3*1.8cm
Weight: 85g
Package: 5pcs/bag
Specification: Marble type



Pig nipple drinker (straw type)

Product parameters
Material: Cold heading steel
Size: 8m (length)
Connector size: 1/2 inch
Weight: 110g/pc
Package: 2pcs/bag
Larger flow and stable, especially for summer and hot area



Pig nipple drinker (nipple type)

Product parameters
Name: Pig nipple drinker
Material: Cold heading steel
Color: Silver
Specification: Copper end / Thickened steel end / Plastic end
Size: 6.1*1.8cm/ 6.2*1.8cm/ 7*1.8cm
Weight: 80.5g/ 83.7g/ 85.3g
Package: 5pcs/bag



Piglets nipple drinker (duck-billed type)

Product parameters
Material: Cold heading steel
Specification: Copper end / Thickened steel end / Plastic end
Size: 5.2*1.8cm/ 5.1*1.8cm/ 6*1.8cm
Weight: 52g/ 51g/ 51g
Package: 5pcs/bag

Breeding Apparatus



Pig nipple drinker (duck-billed type)

Product parameters
Name: Pig nipple drinker
Material: Cold heading steel
Color: Silver
Model: Copper end / Thickened steel end / Plastic end
Size: 6.4*1.8cm/ 6.9*1.8cm/ 7.5*1.8cm
Weight: 77.2g/ 89.3g/ 76.6g
Package: 5pcs/bag



Galvanized duck-billed drinker

Product parameters
Name: Galvanized duck-billed drinker
Material: Galvanized
Product size: 6.7cm
Connector size: quarter thread
Weight: 85g/pc, 435g/board
Specification: copper cover/plastic cover



Chroming duck-billed drinker

Product parameters
Name: Chroming duck-billed drinker
Material: Chroming
Product size: 6.7cm
Connector size: quarter thread
Weight: 85g/pc, 420g/board
Specification: copper cover/plastic cover



Hot thermostat water drinker

Product parameters
Name: Pig water drinker
Material: Iron painted
Size: 1.3m length
Input connector size: 1/2 inch
Output connector size: 1/2 inch, two pieces
Power: 600W
Voltage: 220V/50HZ
Weight: 4.5kgs/pc
Package: 1pc/bag

4-57

Breeding Apparatus

4-58

Breeding Apparatus

**Stainless steel pig water bowl (round type)**

Product parameters
 Name: Stainless steel pig water bowl
 Material: 304 stainless steel
 Color: Silver
 Size(diameter): 21cm/ 17cm/ 15cm/ 13cm
 Weight: 0.8kg/ 0.5kg/ 0.4kg/ 0.3kg
 Package: 20pcs/box; 40pcs/box; 60pcs/box; 70pcs/box

**Stainless steel pig water bowl (square type)**

Product parameters
 Name: Stainless steel pig water bowl
 Material: 304 stainless steel
 Color: Silver
 Size: 29*21*16cm/ 27*18*11cm/ 21*15*10cm
 Package: 20pcs/ box; 20pcs/box / 30pcs/box

4-59

Breeding Apparatus

**Decontamination divided box**

Product parameters
 Name: Decontamination divided box
 Material: 100% new high strength polystyrene
 Product size: outer diameter 19.2cm, inner diameter 18.2cm, water inlet diameter 4.5cm, water outlet diameter 5cm, height 14cm
 Color: white

**Water level regulator**

Product parameters
 Name: Water level regulator
 Size: prong snap button
 Product size: diameter 18cm*height 21cm
 Color: yellow
 Weight: 317g
 Package: 50pcs/carton

**Vertical pipe**

Product parameters
 Name: Vertical pipe
 Material: 201 stainless steel
 Size: length 1m/1.2m
 Connector size: quarter thread
 Material and length can be customized

**Stainless steel water-containing plate**

Product parameters
 Name: Stainless steel water-containing plate
 (fit for water level controller)
 Material: 201 stainless steel/304 stainless steel
 Specification: square pallet 5 size/ square pallet L size/ semi-circle plate/splayed plate
 Package: 20pcs/carton, 40pcs/carton
 Size and specification can be customized

**Stainless steel water pan**

Product parameters
 Name: Stainless steel water pan (fit for water monitor)
 Material: 201 stainless steel/304 stainless steel
 Specification: round pan in size S/ round pan in size L/ semicircle/ B shape pan
 Package: 20pcs/box, 40pcs/box

Qingdao Zaphue International Trading Co. Ltd. 0532-66851684

60

4-60

Breeding Apparatus

**Pig sorting panel**

Product parameters
 Name: Pig sorting panel
 Material: Engineering plastic
 Size: 121.5*78*3.5cm / 97.5*78*3.5cm / 76*48*3cm
 Weight: 6kgs / 4kgs / 2.1kgs
 Purpose: Pig flock herding
 Specification: Large/medium/small

**Plastic pig sorting paddle**

Product parameters
 Name: Plastic pig sorting paddle
 Material: High quality and thickened plastic
 Weight: 225g
 Specification: 50cm (paddle size: 4.5cm width*25cm length)
 Package: 50pcs/box

**Plastic pig sorting paddle (long handle)**

Product parameters
 Name: Pig sorting paddle
 Size: 31.5*5.5cm with 70cm handle
 Weight: 430g
 Specification: Steel handle

**Stainless steel harness for pig**

Product parameters
 Name: Stainless steel harness for pig
 Material: stainless steel tube + plastic handle + stainless steel wire
 Stainless steel wire length: 73cm
 Stainless steel wire thickness: 0.6cm
 Weight: 530g
 Size: length 23.5cm
 Purpose: Hold the pig for the cure and diagnose
 Origin: Pakistan

61

Qingdao Zaphue International Trading Co. Ltd. 0532-66851684

**Steel wire harness for pig**

Product parameters
 Name: Steel wire harness for pig
 Material: steel wire
 Length: about 90cm
 Thickness: 0.5cm
 Weight: 125g
 Package: 100pcs/carton

**Steel wire harness for pig**

Product parameters
 Name: Steel wire harness for pig
 Material: stainless tube + steel steel wire
 Steel wire length: about 75cm
 Thickness: 0.5cm
 Weight: 280g
 Purpose: Hold the pig for the cure and diagnose

**Piglets supplement feeder**

Product parameters
 Material: 201 stainless steel
 Color: Silver
 Size: 28(D)*23(H)cm / 25(D)*20(H)cm
 Weight: 1.05kgs / 0.75kgs
 Purpose: For un-weaning piglets' feed supplement

**Plastic piglets supplement feeder trough**

Product parameters
 Name: Plastic piglets supplement feeder trough
 Material: Top-level engineering plastic
 Color: Blue/ orange
 Size: 25(L)*20(W)*38(H)cm
 Purpose: For un-weaning piglets' feed supplement

Qingdao Zaphue International Trading Co. Ltd. 0532-66851684

62

4-61

Breeding Apparatus

4-62

Breeding Apparatus

**Umbilical cord clip**

Product parameters
Name: Umbilical cord clip
Size: total length 6.3cm
Material: polyethylene
Color: blue
Weight: 2.5g/pc
Package: 100pcs/bag, 14bags/carton

**Stainless steel Cutting pliers**

Product parameters
Name: Stainless steel Cutting pliers
Material: 304 stainless steel
Specification: 13cm
Weight: 125g/pc

**Stainless steel Cutting pliers (hardcover)**

Product parameters
Name: Stainless steel Cutting pliers (hardcover)
Material: stainless steel
Specification: 14cm
Weight: 135g/pc
Package: 100pcs/box, 200pcs/carton

**Stainless steel Cutting pliers (convenience package)**

Product parameters
Name: Stainless steel Cutting pliers (convenience package)
Material: stainless steel
Specification: 14cm
Weight: 120g/pc
Package: 240pcs/carton

**Stainless steel Cutting pliers with rubber handle**

Product parameters
Name: Stainless steel Cutting pliers with rubber handle
Material: stainless steel
Specification: 13.5cm
Weight: 96g/pc

**Electric teethers**

Product Parameter
Name: Electric teethers
Material: Adamas
Product Power: 130W 220V, 50HZ / 60HZ
G.W.: 920g
Packing size: 27*16*6.5cm

**Lithium battery teethers**

Product parameters
Name: Lithium battery teethers
Grinding head material: diamond
Power: 12V 1300mAh
Speed: 5 gears range
Weight: about 0.7kgs(with package)
Size: 24*18*7cm

**Pneumatic tail trimmer**

Product parameters
Name: Pneumatic tail trimmer
Configuration: one bottle of 300ml butane
Weight: 0.49kgs
Size: length 23.5cm
Weight: 2.16kgs(with package)
Size: 31*14*7cm

**Electric pig tail cutter**

Product parameters
Name: Electric pig tail cutter
Material: 304 stainless steel
Voltage: 220V
Current: 0.4mA
Power: 80W
Weight: 525g
Max temperature: 500°C
Normal heating: 380°C need 3-5mins;
Drop to 200°C from max temp need 2.5mins
200°C to 380°C need 1.5mins

**Piglets castration tool**

Product parameters
Name: Piglets castration tool
Size: 31*14*8cm / 43*18*9.5cm(length*width*diаметer)
Material: 304 stainless steel

**Piglets castration tool (hanging type)**

Product parameters
Size: Hook is 30cm long, body is 35cm
Material: 304 stainless steel
Weight: 1.18kgs

**Tripod castrator for piglet**

Product parameters
Name: Tripod castrator for piglet
Size: height 68cm
Material: 201 stainless steel
Weight: 2.48kgs/pc
Application: castrate 3 to 25 day-old piglet

**Water medicator**

Product parameters
Name: Water medicator
Flow: 10-2500L/h
Viscosity: 2000CPS
Temperature: 0.34-6.2bar
Package: 12pcs/carton
Dilution: 0.2-2% 0.78-5%

**Water filter**

Product parameters
Filter specification: 40 micron, 200holes/square inch
Pressure: 1bar-8bar
Flow: 2.6m³/h-4.2m³/h
Temperature: 5-40°C
Connector size: 1/2inch
Material: Brass, stainless steel, engineering plastic
Size: 28.1*14*8.9cm
Weight: 1.11kgs

**Electric livestock prod**

Product parameters
Color: Yellow and white
Specification: L/XL
Length: 98cm/112cm
Battery: 4600mAh
Package: 74*13.5*7.5cm / 112*13.5*7.5cm
Gross weight: 1.35kgs / 1.5kgs

**Pig sorting clip**

Product parameters
Name: Pig sorting clip
Material: 201 stainless steel + ABS engineering plastic
Size: 123(L)*25(opened width)*12(closed width)cm
Weight: 0.4kg
Package: 20pcs/bag



Toy for piglet

Product parameters
 Name: Toy for piglet
 Material: edible plastic + galvanized iron chain
 Color: yellow
 Size: iron chain length 76cm
 Weight: 292g/set (plastic is 92g, and the chain is 200g)
 Application: plays for piglet, avoid fight, allotriophagia,
 decrease stress when change the food and environment



Ball toy for piglet

Product parameters
 Name: Ball toy for piglet
 Material: edible plastic
 Color: orange
 Size: Diameter 30cm



Toy for piglet

Product parameters
 Name: Toy for piglet
 Material: edible plastic
 Color: green
 Weight: 90g
 Construction: two shells with screw, can be assembled on crate tube,
 also can be hanged by chain



Galvanized iron chain

Product parameters
 Name: Galvanized iron chain
 Size: length 76cm
 Weight: 200g
 Color: silver gray
 Usage: Separated part, to hang piglet toy



Lightsome mammy machine for piglets

Product parameters
 Name: Lightsome mammy machine for piglets
 Specification: two sides with eight nipples
 Product size: 50*20.5*28.5cm
 Temperature: 0-100%
 Accuracy: 0.1°C
 Environment: -30°C-60°C
 Weight: 6.15kgs (with package)
 Package size: 52.5*27*32cm



Stainless steel mammy machine

Product parameters
 Name: Stainless steel mammy machine
 Specification: two sides with fourteen nipples
 Product size: 97*27*58cm/101*16*58cm (length * width* height)
 Volume: 10L/6L
 Material: 304 stainless steel
 Power: 220V 1000W
 Weight: 34kgS/23kgs
 Purpose: nursing, feeding medicine



Anthony pig constant temperature porridge fodder feeder

Product parameters
 Name: Anthony pig constant temperature porridge fodder feeder
 Material: PC ABS
 Product size: 7.5cm (crib height), 34.5cm (total height)
 Volume: 3.5L
 Power:16W
 Package: 2 sets/pc
 Package size: 41*23*34cm
 Weight: 4kgs/pc
 36°Cconstant temperature, can replenish milk,water, medicine,
 liquid porridge, ensure the feeding temperature and breast
 nursing temperature to be same, and not be easy to ill for
 anthony pig



Stainless steel sow trough S size

Product parameters
 Name: Stainless steel sow trough S size
 Specification: S size
 Material: 304 Stainless steel
 Size: 420*350*230mm
 Weight:2.7kgs
 Package: 10pcs/carton



Stainless steel sow trough L size

Product parameters
 Name: Stainless steel sow trough L size
 Specification: L size
 Material: 304 Stainless steel
 Size: 480*390*250mm
 Weight:3.1kgs
 Package: 10pcs/carton




Ductile cast iron sow trough


Product parameters
 Name: Ductile cast iron sow trough
 Material: ductile cast iron
 Size: 430*330*360mm
 Weight: 14.5kgs



Pig farm plastic slat flooring



Pig farm cast iron slat flooring



Single/double sides stainless trough

- Product parameters
- Name: Single/double sides stainless trough
- Material: 201/304 stainless steel
- Size:
- Fattening trough
- 1.5m(L) double sides with 10 holes/ 1.5m(L) single side with 5 holes
 - 1.2m(L) double side with 8 holes/ 1.2m(L) single side with 4 holes
- Weaning trough
- 1.1m(L) double side with 12 holes/ 1m(L) single side with 6 holes
 - 0.85m(L) double side with 10 holes/ 0.85m(L) single side with 5 holes
- Product Feature:
1. Piglet can forage by themselves, avoiding waste.
 2. The feed flow could be adjusted according to needed.
 3. Feeder segmentation in order to avoid piglets snatch food.
 4. International standard steel ensure the quality.
 5. With sewage outfall, easy for cleaning.



Dry-wet automatic feeder

- Product parameters
- Name: Dry-wet automatic feeder
- Material: plastic feed cylinder, stainless steel base
- Size: 80L, 150L
- Product Feature:
1. Smooth and nice appearance, reliable quality, meticulous processing, sturdy and durable, good stability, saving time and economize labour, speeding up slaughter, no waste of feed, and reducing gastrointestinal diseases.
 2. It is an automatic feeder. It has all day feeding function, pig can grow evenly, and the feed can be saved also. One person can feed 400 pigs. It can save 5-15kgs feed per day, and 20-30 days can be ahead for slaughter. It is 5-10 times efficiency compared with the ground feeding. It is the ideal renewal and replacement product of the modern pig farm.
 3. Pig could eat and drink together.



Smart porridge fodder feeder

- Product parameters
- Name: Smart porridge fodder feeder
- Standby power: less than 5W
- Operating power: less than 60W
- Product size: 600*500*1150mm(length*width* height)
- Volume: 65L
- Crib size: 490*90mm (diameter*height)
- Weight: about 12.5kgs/pc





There are 167 items
such as infrared heating light bulb, lampshade, air-heater, electric hot plate and so on



Farm roasted infrared bulb

Product parameters
Name: Roasted infrared bulb
Material: Anti-explosion glass + aluminum alloy
Size: 13*17.5cm (diameter*height)
Weight: 166g
Package: 40pcs/box
Power: 100W/175W



Farm pitted heating lamp bulb

Product parameters
Name: Pitted infrared heating bulb
Material: Anti-explosion glass + aluminum alloy
Size: 12.4*14.5cm(diameter*height)
Specification: Pitted
Package: 50pcs/box
Power: 100W/150W/175W/200W/250W



Farm infrared PAR bulb

Product parameters
Name: Infrared PAR bulb
Color: Warm red
Power: 175W
Bulb holder: E27
Weight: 365g/pc
Package: 20pcs/box



Farm lampshade net

Product parameters
Name: Farm lampshade net
Material: Steel wire with copper plated
Weight: 75g
Size: 21(H)*15.5(Dia)*4.5(holder dia)cm
Adapters: Pitted infrared heating bulb, Ceramic lamp holder



Ceramic lamp holder

Product parameters
Name: Ceramic lamp holder
Material: Aluminum shell, 100 percent ceramic connector
Size: 9*6cm/10.5*8cm
Specification: E27 small size / E27 larger size



Ceramic lampholder with traditional switch

Product parameters
Name: Ceramic lampholder with traditional switch
Material: cast aluminum shell, high temperature electrostatic spraying, ceramic connector, national standard wire
Specification: E27 S size lampholder, 1.7m wire
Style: traditional switch
Weight: 180g/pc
Package: 150pcs/box



Ceramic lampholder with non-polar switch

Product parameters
Name: Ceramic lampholder with traditional switch
Material: cast aluminum shell, high temperature electrostatic spraying, ceramic connector, national standard wire
Specification: E27 S size lampholder, 1.7m wire
Style: non-polar switch
Weight: 195g/pc
Package: 135pcs/box



Farm golden color lampshade

Product parameters
Material: Aluminum shell and ceramic connector
Color: Golden
Size: 21.5cm diameter
Weight: 610g/pc
Package: 20pcs/box
Size: 45.5*45.5*25cm



Farm 16inch diamond surface lampshade

Product parameters
Material: 304 stainless steel
Specification: 16inch diamond surface
Size: 38*218.5 (diameter*height)
Application: E27 larger size



Farm 12inch stainless steel lampshade

Product parameter
Name: 12inch stainless steel lampshade
Material: 304 stainless steel
Specification: 12 inch glaze
Size: 30.3*3.5cm(diameter*height)
Application: E27 small size
Advantage: Water-proof, anti-collision



Farm silver color lampshade

Product parameters
Material: Aluminum shell, ceramic connector
Specification: Large/medium/small
Size: 10inches (lampshade diameter 26cm)
8.5inches (lampshade diameter 22cm)
8.3inches (lampshade diameter 21cm)
Weight: 163g / 130g / 98g




Interheat lampshade

Product parameters
Name: Interheat lampshade
Material: aluminium lampshade, ceramic lamp holder
Size: about 30cm/21.5cm (diameter)
Package: 10sets/carton
Specification: Size L / size S



Farm fiberglass electric heating plate
 Product parameters
 Size: 102*55*2cm / 89.5*49.5*1.5cm
 Weight: 8.2kgs / 5.95kgs
 Color: Green



Farm stainless steel electric heating plate
 Product parameter
 Name: Stainless steel electric heating plate
 Size: 100*55*1.8cm
 Power: 45W-90W
 Weight: 3.8kgs
 Color: Silver
 Package: 5pcs/bag



Farm rubber electric heating mat
 Product parameters
 Size: 150*100*1.2cm
 100*55*1.2cm
 Weight: 27.5kgs/10kgs
 Color: Black



Sow rubber mat
 Product parameters
 Name: Sow rubber mat
 Size: 34*0.7m
 Thickness: 2cm
 Weight: 38kgs
 Color: Black
 Function: 1.Rubber material with 65 degree hardness, good flexibility, soft and comfortable;
 2.Anti-slip design, not only has massage efficiency, also protect nipples from being pinched
 3.Herringbone pattern dung leakage plate design can be directly washed by water to prevent bacteria growth.



Farrowing crate rubber mat
 Product parameters
 Name: Rubber mat
 Size: 1.8*1.3m
 Thickness: 2cm main part, 1cm marginal part
 Material: Natural rubber + reclaimed rubber + butadiene styrene rubber
 Weight: 44.4kgs
 Color: Black



Farm diesel heater
 Product parameters
 Name: DH-40 diesel heater
 Size: 93*44*57cm
 Air volume: 1050m³/h
 Weight: 37kgs
 Color: Red and black



ELITE series heater

Product parameters

Model	Size	Air volume(m ³ /h)	Power	Weight(kg)	Color
EHTE 2	25*18*30cm	150	220V/50HZ 200W	5.5kgs	red and black
EHTE 3	35*27*40cm	570	220V/50HZ 3.3KW	10kgs	
EHTE 4	44*27*40cm	560	380V/50HZ 6.3KW	13kgs	
EHTE 10	71*50*90cm	1500	380V/50HZ 100W	25kgs	
EHTE 15	71*50*90cm	1700	380V/50HZ 150W	34kgs	
EHTE 30	89*50*90cm	2200	380V/50HZ 300W	40kgs	



Farm diesel heater
 Product parameters
 Name: Diesel heater
 Product size: 129*49*62.5cm
 Package size: 104.5*46.5*57cm
 Air volume: 100m³/h
 Heating area: 320m²
 Temperature range: 5-55°C
 Diesel consumption: 2-4kgs/h
 Power output: 55KW
 Working volume: 85db
 Power: 220V/50HZ
 Gross weight: 33.7kgs
 Color: Yellow and black



Farm heater
 Product parameters
 Specification : 15KW/30KW
 Heating area: 90m²/175m²
 Temperature: 20-25°C
 Power : 380V/50HZ
 Temperature range : 5-55°C
 Gross weight: 23.5kgs / 34kgs
 Package: 60*50*58cm / 77*50.5*62cm
 Color: Red and black



Farm gas heater
 Product parameters
 Specification: LPG / natural gas / marsh gas
 Heating area: 500m² / 300m²
 Power : 220V/50HZ
 Power output: 65.9KW/40KW
 Weight : 53kgs
 Package : 62.5*49.76cm



Farm thermohygrometer
 Product parameters
 Weight: 156g
 Product size: 9.2*12.2*2.1cm
 Package: 10.8*13*3cm
 Temperature range: 0-50°C
 Humidity range: 10%-95%RH



High end wet thermometer
 Product parameters
 Name: High end wet thermometer
 Specification: WS-A3
 Size: 19*19cm
 Temperature: -20°C-40°C
 Humidity: 10%-90%RH
 Weight: 336g/pc (with package)
 Package: 40pcs/box



Psychrometer
 Product parameters
 Name: Psychrometer
 Size: 22.7*6.5cm
 Measurement: -30°C-50°C/0-100%RH
 Weight: 57g/pc



Psychrometer 201
 Product parameters
 Name: Psychrometer 201
 Size: 21*10.5cm
 Temperature: -35°C-50°C
 Humidity: 19%-97%RH
 Weight: 62g/pc (with package)
 Package: 200pcs/box



Psychrometer 202A
 Product parameters
 Name: Psychrometer 202A
 Size: 22*8.6cm
 Temperature: 25°C-50°C
 Humidity: 18%-93%RH
 Weight: 68g/pc (with package)
 Package: 200pcs/box



Manual curtain winch

Product parameters
 Name: Manual curtain winch
 Material: thicker ductile cast iron, stainless steel
 Size: bottom length 22*height 18cm
 Parts: 1 set main engine, 3 pcs anchoring, 1 roll steel wire, 1 pc winding reel, 3 pcs thread, 1 pc nut cap, 1 pc bulldog grip



Automatic curtain winch

Product parameters
 Name: Automatic curtain winch
 Model: GMA100-S
 Voltage: 220V
 Power: 100W
 Speed: 2.8r/min
 Rolling length: less than 100m
 Weight: 3.7kgs




PE curtain

Product parameters
 Name: PE curtain
 Weight: 330g/m²
 Longitude density: 40-60 thread /10cm
 dimensionality density: 40-50 thread/10cm
 Thickness: 0.45mm
 Size: Customized



PVC coated curtain

Product parameters
 Name: PVC coated curtain
 Thickness: 0.44 +0.03mm
 Size: Customized
 Color: green/white/blue



Ventilation box fan

thickened hot-dip galvanized sheet material, with strong corrosion resistance, not easy to rust, automatic closing windows when shutdown, to prevent foreign bodies, rain and snow from entering.



Fiberglass fan

integral moulding, mold manufacturing, anti-corrosion, anti rust, fire prevention, low energy consumption, large air volume and long service life.



Cooling pad

corrugated paper material, corrugated paper with special treatment, high strength, water absorption, water expansion, and good permeability.



Plastic cooling pad

high polymer and space crosslinking technology, high water absorptency, high water resistance, mildew resistance, and long service life.



Air inlet

engineering plastic material, not easy to deformation no matter in high or low temperature, corrosion resistance and anti-aging performance, strong sealing, flexible opening, and with anti-bird net.

Cleaning & Disinfection



There are 71 items

such as high pressure washer, sterilizer, ventilation and so on



Disinfectant maker machine

Product parameter
 Power: 200W
 Output: 4-5kgs/h
 Size: 35*35*70cm



Farm washing machine

Product parameters
 Output: 220L/min
 Pressure: 6Mpa
 Electricity: 220V/50HZ
 Power: 1.6kw
 Weight: 23kgs
 Size: 63*30*41cm



High pressure spray sterilizer

Product parameters
 Name: High pressure spray sterilizer
 Model: electric power/ petrol power
 Size: 138*95*55
 Power: 2.2KW/220V
 Motor Speed: 1400r/min
 Pressure: 1.5-3.5Mpa
 Volume: 160L
 Rated flow: 29-34L/min



Ultrasonic room atomization disinfection system

Product parameters
 Atomization output: 12L/H 6L/H
 Voltage: 220V 50HZ
 Working power: 900W/500W
 Standby power: 8W/4W
 Working temperature: 3°C-65°C
 Specification: 10 sprayer / 5 sprayer
 10 Intelligent anti-freeze sprayer/
 5 Intelligent anti-freeze sprayer



Details:

start to work automatically when staff enter disinfection room. Disinfection fluid will be atomized to ultrafine particle and spraying, then the room is full filled with disinfection air. But when get out of the room, the system will not get triggered. So, no need make two channels for disinfection.

Attention:

10 sprayer and 5 sprayer are for the room temperature higher than 0°C
 10 Intelligent anti-freeze sprayer/ 5 Intelligent anti-freeze sprayer for room temperature below 0°C.

Ultrasonic vehicle disinfection

Product parameters
 Name: Ultrasonic vehicle disinfection
 Specification : Two sprayer / pole
 Atomization output : 30-50L/H
 Voltage : 220V 50HZ
 Power : 3KW
 Working temperature : 3°C-65°C



- * Standard configuration: Main engine 1set, 3m vertical pole 2pcs, sensors with waterproof and anti-interference 2sets, 80L/min water processing system 1set, sprayer rod for clearing bottom of the car 1set, automatic emptying system 1set, warning post 4pcs, 1m rubber speed bumps 4pcs, 3m metal bump.
- * Brand of pump is Taiwan, max spray pressure can up to 40-90kgs, flow with 30-50litres.
- * Computer controlled can be operated remotely. Time of disinfection can be adjusted. Single and double disinfection are available.
- * Heat automatically and alarm get to work when water leakage.
- * Stainless steel anti-corrosion pole, has 10 sprayers with 70 degree.



Farm 12L wall mounted sterilizer

Product parameters
 Name: 12L wall mounted sterilizer
 Grain size: 1.5 micron
 Atomization output:12L/h
 Area: 10-25square meters
 Power : 600W
 Size : 87*13*30cm
 Gross weight: 17.5kgs
 Package : 95*21.5*36.5cm



Farm ultrasonic atomization sterilizer

Product parameters
 Name: Farm ultrasonic atomization sterilizer
 Style: Vertical type
 Power: 900W
 Grain size: 5 micron
 Atomization output: 12L/h
 Size: 12-20square meters



Farm atomization disinfection line

Product parameters
 Atomization output: 6L/min
 Working pressure: 4-7Mpa
 Electricity: 380V/50HZ
 Power: 1100W
 Weight: 47.5kg
 Size: 60*42*52cm



Atomization disinfecting line parts

1. Two-Touch direct connection monoporate spray tower
2. Two-Touch choke plug monoporate spray tower
3. Two-Touch outlet connection
4. Two-Touch T-juanction
5. Impact strainer sprayer

High pressure nylon hose

Product parameters
 Name: High pressure nylon hose
 Size: 9.52*5.5mm/9.52*4mm (out diameter * inner diameter)
 Specification: 100m/roll
 Usage: High pressure spray, humidification, disinfection and cooling, artificial fog



Farm ozone sterilizing machine

Product parameters
 Ozone output: 10g/h
 Electricity: 220V/50HZ
 Power: 180W
 Area: 320-350m³
 Rate: 99.99%
 Size: 32*25*64cm



Farm ultraviolet sterilizing vehicle

Product parameters
 Electricity: 220V/50HZ
 Power: 30W*2pcs
 Ultraviolet wave length: 253NM
 Size: Bottom base 35*36cm, 107cm height and 90cm ultraviolet tube



Flame disinfection gun

Product parameters
 Name: Flame disinfection gun
 Working temperature: -20°C-40°C
 Maximum temperature: 1300°C
 Size: total length 60cm, sprayer diameter 5cm

Cleaning & Disinfection



17 series electric high pressure cleaning machine

Product parameters
 Name: 17 series electric high pressure cleaning machine
 Model: LT-17MB
 Motor power: 2.2KW
 Voltage: 220V
 Motor Speed: 2900rpm
 Pressure: 90bar
 Flow: 12.8L/min
 Weight: 36.5kgs



19 series electric high pressure cleaning machine

Product parameters
 Name: 19 series electric high pressure cleaning machine
 Model: LT-19MA/LT-19MB/LT-19MC/LT-19MD
 Motor power: 3KW/2.2KW/4KW/4KW
 Voltage: 380V/220V/380V/220V
 Motor Speed: 1450rpm
 Pressure: 120bar/100bar/170bar/90bar
 Flow: 14L/min,12.2L/min,14L/min,24L/min
 Weight: 54kgs/52kgs/59.5kgs/59.5kgs



20 series electric high pressure cleaning machine

Product parameters
 Name: 20 series electric high pressure cleaning machine
 Model: LT-20MC/LT-20MD
 Motor power: 7.5KW
 Voltage: 380V
 Motor Speed: 1450rpm
 Pressure: 248bar/206bar
 Flow: 16L/min,19.8L/min
 Weight: 87.5kgs

6-91
Cleaning & Disinfection



Labor Protection



There are 89 items

such as labor suit, rain shoes, safety shoe and so on

Labor Protection Products



Coverall

Product parameters
 Name: Coverall
 Size: 160/165/170/175/180/185/190/195
 Material: cotton blended cloth
 Color: dark grey
 Package: 1pc



Working bib pants

Product parameters
 Name: Working bib pants
 Size: 160/165/170/175/180/185/190/195
 Material: twisted thread canvas
 Color: dark grey



Rubberized PVC nylon gloves

Product parameters
 Name: Rubberized PVC nylon gloves
 Size: Free size
 Color: orange
 Package: 12pairs/bag

7-94
Labor Protection Products




Safety shoe
 Product parameters
 Name: Safety shoe
 Size: 36/37/38/39/40/41/42/43/44
 Color: army green
 Package: 1pair/box



Rain shoes with steel head
 Product parameters
 Name: Rain shoes with steel head
 Material: PVC, chemical fiber lining
 Height: 37.5-38.5cm
 Weight: 2.25-2.5kgs/pair
 Size: 37/38/39/40/41/42/43/44
 Color: black
 Package: 10pairs/carton



95 Qingdao Zaphue International Trading Co. Ltd. 0532-66851684



Rain shoes with high boots
 Product parameters
 Name: Rain shoes with high boots
 Material: PVC rubber shoe body, beef tendon anti-skid base, cotton fabric lining
 Height: about 37.8cm/38cm/38.2cm/38.3cm /38.5cm/39cm/39.2cm/39.5cm
 Weight: 2.25-2.5kgs/pair
 Size: 37/38/39/40/41/42/43/44
 Color: white
 Package: 20pairs/carton



Disposable thicker shoe cover
 Product parameters
 Name: Disposable thicker shoe cover
 Weight: 2-2.1g/pc (the maximum size is 43)
 Size: free size
 Color: blue
 Package: 10pcs/bundle, 10bundle/bag

Qingdao Zaphue International Trading Co. Ltd. 0532-66851684 96

Detecting Instrument



There are 87 items

such as veterinary B mode ultrasound, ultrasound back-fat measure tester, sperm density detector, ammonia gas detector, wind detector and so on



B mode pig pregnancy ultrasound scanner
 Product parameters
 Name: B mode pig pregnancy ultrasound scanner
 Size: 15*12.5*4.5cm
 Weight: 800g (exlude probe)
 Size: 5.6 inch TFT-LCD screen
 Color: Pseudo color
 Battery: 2600mAh
 Package: 47.5*28.5*10.5cm
 Weight: 3.3kgs/box (with aluminum alloy case)



B mode pig pregnancy ultrasound scanner
 Product parameters
 Size: 15*12.5*4.5cm
 Size: 5.6 inch LCD screen
 Package: 40*26.5*14.5cm



Pig backfat detector
 Product parameters
 Accuracy: 4-35mm±1mm
 Size: 180*73*33mm
 Net weight: 307g
 Power: 0.05W

Qingdao Zaphue International Trading Co. Ltd. 0532-66851684 98



Water quality detector pen with digital screen
 Product parameters
 Density range: 0-1999PPM
 Conductivity range: 0-1999us/cm
 Temperature range: 0-50°C
 Product size: 165*35*32mm
 Weight: 115g



Animal ear thermometer
 Product parameters
 Detecting range: 32-42.9°C
 Accuracy: ±0.2°C
 Working temperature: 16-40°C
 Size: 11cm
 Package: 18.5*13*5cm
 Gross weight: 148g



Portable thermo Anemometer
 Product parameter
 Name: Portable thermo Anemometer
 Wind speed range: 0.3-30m/s
 Air volume: 0-99900m³/min
 Wind temperature: -10-45°C
 Size: 150*80.5*34cm



Farm luminometer
 Product parameters
 Detecting range: 320-730nm
 Accuracy: ±3%
 Working temperature: -10°C-50°C
 Sampling rate: ≥2times/second
 Power: 1*9V
 Package : 11*19*6cm
 Gross weight : 343g




Animal digital infrared thermometer
 Product parameters
 Name: Digital infrared thermometer
 Detecting range: 32-45°C
 Accuracy: ±0.2°C
 Detecting distance: 5-15cm
 Working temperature: 10-40°C
 Size: 16*8.5*3cm
 Weight: 450g



Farm portable ammonia gas detector
 Product parameters
 Detecting range: 0-100PPM
 Deviation: 0.5PPM
 Response time: < 2 min
 Temperature: -20-50°C
 Power: Rechargeable batteries (3.7 V lithium battery)
 Parts : USB cable, charging base, 3.7V lithium battery, warranty card, manual.



Project Case



Project Case



Project Case



103

Qingdao Zaphue International Trading Co. Ltd. 0532-66851684

Project Case



Qingdao Zaphue International Trading Co. Ltd. 0532-66851684

104



RUN! Towards the dream

