

QINGDAO ZAPHUE

INTERNATIONAL TRADING CO.LTD.

PROFESSIONAL POULTRY EQUIPMENT SUPPLIER AND DESIGNER

Add: Zhengyang Road, Chengyang District, Qingdao, China
 Tel: +86-532-66851684
 Web: www.zaphue.com
 E-mail : molly@pithyfarm.com



QINGDAO ZAPHUE INTERNATIONAL TRADING CO.LTD.

OUR TABLE OF CONTENTS

Qingdao Zaphue International Trading Co. Ltd.

Qingdao Zaphue was established by two manufacturing factories. It is professional on poultry /pig equipment researching, designing, installation and after-sales service. Our main products include: pig farm equipment, poultry farm equipment, pig artificial insemination equipment, veterinary instrument, environmental control equipment. Besides providing all kinds of livestock equipment, we can also help customers to design farm shed and make equipment accordingly.

With many years experience, we have been done many turn-key projects and specialized on pig automatic feeding, pig crate with top reputation.

After years growing, our company devote to not only on manufacturing but also on resources integration to service market. And now we establish branch companies in more than 20 city. So, with numerous sourcing companies help, we are certainly sure that we can supply great service to customer.

Poultry farming equipment

Broiler pan feeding system	01
Breeder pan feeding system	02
Breeder chain feeding system	03
Water drinking system	04
Manual egg nest	05
Environmental and control system	06
Foggy system	07
Manual drinker and feeder series	08
Continuous syringe for chicken	09



BROILER PAN FEEDING SYSTEM

SUPPLY FREEDOM FEEDING TO CHICKEN

Features:

- 1, Ideal raising from brooding to slaughter. Ideal pan height for chicken.
- 2, It is feed saving and make sure fresh feed supplying.
- 3, Flexible and automatic control on feed level.
- 4, Taiwan brand motor with high quality to ensure stable working.
- 5, Feeder pan material is raw material of PP.



Pipe and auger	Material of pipe	Hot galvanized	
	External diameter of auger	45mm	
	Distance between feeder	1000mm	750mm
	Max feeding length	150m	
Drive motor	Drive motor specification	1.1kw	380v 50hz
		0.75kw	380v 50hz
	Delivery capacity	2450kg/h	
Hopper	Capacity	70kg	




BREEDER PAN FEEDING SYSTEM

MORE EFFICIENT FOR BREEDER RAISING

Features:

- 1, Pan diameter is 360mm with PP material.
- 2, 16 feeding windows each feeder, each feeder can have 300-800g feed.
- 3, Uniform feeds distribution and make sure each chicken get equal feed.
- 4, Outer grill of feeder pan can be adjusted and make window space is 35-52mm.
- 5, The height of feeder pan could be adjusted to 54mm, 64mm, 74mm.
- 6, Distance between two feeders is 750mm; trough length is 3meter with 4 holes or customized.
- 7, Tooth wheel gear motor and cycloidal-pin gear motor can be chose.




BREEDER CHAIN FEEDING SYSTEM

FEED WELL DISTRIBUTED AND STABLE WORKING, SIMPLE MAINTENANCE

Features:

- 1, Feed transport speed is 36m/min, can reach 0.7-1.5kg/m.
- 2, Tooth wheel gear motor and cycloidal-pin gear motor can be chose.
- 3, Feed well distributed and work stable.
- 4, Chain is imported from South Africa.




WATER DRINKING SYSTEM

CLEAN AND FRESH WATER SUPPLYING

Features:

- 1, Light resistant PVC water pipe prevents algae inside.
- 2, Galvanized support pipe with great anti-corrosion.
- 3, High quality nipple drinker with double sealing to make sure dry without touching.
- 4, Round water pipe and square water pipe can be chose.



- 1, Plastic nipple drinker for square water pipe with touching to get water.
- 2, Water flow is 70-110ml/min, 40-70ml/min.

- 1, Safe, easy assemble and quick change, get water with touching.
- 2, Water flow is 70-80ml/min.


MANUAL EGG NEST

Features:

- 1, Used for breeder and layer. Material is 275g/ m² galvanized sheet, long service life.
- 2, Side panel of nest is with holes to get enough air.
- 3, 12holes / 24holes and 10holes / 20holes are available.
- 4, Nest tray material is PP and galvanized.



ENVIRONMENTAL AND CONTROL SYSTEM



FOGGY SYSTEM

FARM DISINFECTION AND AIR COOLING

Features:

- 1, Water evaporating to get cool temperature quickly.
- 2, Spray disinfection to get uniform effect.



Farm atomization disinfection line

Product parameters

Atomization output: 6L/min
Working pressure: 4-7Mpa
Electricity: 380V/50HZ
Power: 1100W
Weight: 47.5kgS
Size: 60*42*52cm



Atomization disinfecting line parts

1. Two-Touch direct connection monoporate spray tower
2. Two-Touch choke plug monoporate spray tower
3. Two-Touch outlet connection
4. Two-Touch T-juanction
5. Impact strainer sprayer



High pressure nylon hose

Product parameters

Name: High pressure nylon hose
Size: 9.52*5.5mm/9.52*4mm (out diameter * inner diameter)
Specification: 100m/roll
Usage: High pressure spray, humidification, disinfection and cooling, artificial fog

MANUAL DRINKER AND FEEDER SERIES



Manual feeder

Material: New PP material
Capacity: 1.5kgs, 3kgs, 6kgs, 9kgs
Advantage: Strong enough, crush resistance, ageing resistance and environmental friendly.



Manual drinker

Material: New PP material
Capacity: 1.5L, 4L, 6L, 8L, 10L
Advantage: Strong enough, crush resistance, ageing resistance and environmental friendly.




Manual feeder for one-day old chicks

Material: New PP material
Diameter: 32cm
Advantage: Crush resistance, ageing resistance and environmental friendly.

Adult chicken transport plastic box

Material: New PP material
Size: 75×55×27CM
Advantage: Good ventilation and can be used under hot weather.



One-day old chicken transport plastic box

Material: New PP material
Size: 66×49×16CM



CONTINUOUS SYRINGE FOR CHICKEN



Double-barreled continuous syringe
Specification: 0.5ml 1ml



Continuous syringe B-Type
Specification: 1ml



Continuous syringe A-Type
Specification: 2ml



Continuous syringe C-Type
Specification: 0.5ml 1ml 2ml 5ml



Double-barreled continuous syringe
Specification: 0.5ml 1ml



Continuous syringe D-Type
Specification: 0.5ml 1ml 2ml 5ml



Continuous syringe H-Type (with bottle adapter and tube)
Specification: 0.5ml 1ml 2ml 5ml



Continuous syringe E-Type
Specification: 2ml



Continuous syringe F-Type
Specification: 1ml 2ml 5ml



Continuous syringe G-Type
Specification: 1ml 2ml 5ml



Continuous syringe I-Type
Specification: 1ml 2ml 5ml



Continuous syringe A-Type
Specification: 5ml



Continuous syringe B-Type
Specification: 5ml



Continuous syringe A-Type
Specification: 10ml



Continuous syringe B-Type
Specification: 10ml

PROFESSIONAL POULTRY EQUIPMENT SUPPLIER AND DESIGNER